

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : C14-16-18 Blend

Use : Solvent

**Company** : Qatar Chemical Company LTD (QChem)  
Amwal Tower, Omar Al Mukhtar St,  
Al-Dafna (Zone 61)  
PO Box 24646  
Doha, QatarSDS Requests: (+974) 4484-7110  
Technical Information: (+974) 4476-7145  
Responsible Party: Product Safety Group  
Email: MSDSInquiry@qchem.com.qa**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifflinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Aspiration hazard, Category 1

**Labeling**

Symbol(s) :



Signal Word :

: Danger

Hazard Statements :

: H304: May be fatal if swallowed and enters airways.

Precautionary Statements :

**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P331 Do NOT induce vomiting.  
**Storage:**  
 P405 Store locked up.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

by NTP.

**SECTION 3: Composition/information on ingredients**

Molecular formula : Mixture

Component	CAS-No.	Weight %
1-Tetradecene	1120-36-1	15 - 60
1-Hexadecene	629-73-2	20 - 50
1-Octadecene	112-88-9	10 - 40

**SECTION 4: First aid measures**

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**SECTION 5: Firefighting measures**

- Flash point : 124°C (255°F)  
Method: Cleveland Open Cup
- Autoignition temperature : 228°C (442°F)
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Standard procedure for chemical fires.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Fire and explosion : Normal measures for preventive fire protection.

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

protection

**SECTION 6: Accidental release measures**

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

- Advice on safe handling : Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Storage**

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Use : Solvent

**SECTION 8: Exposure controls/personal protection****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

provides protection may be appropriate, such as:. Full-Face Air-Purifying Respirator for Organic Vapors, Dusts and Mists. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Colorless
- Odor : Odorless

**Safety data**

- Flash point : 124°C (255°F)  
Method: Cleveland Open Cup
- Lower explosion limit : 0.5 %(V)
- Upper explosion limit : 5.9 %(V)
- Oxidizing properties : no
- Autoignition temperature : 228°C (442°F)
- Molecular formula : Mixture
- Molecular weight : Not applicable
- pH : Not applicable
- Freezing point : 15°C (59°F)

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

Boiling point/boiling range	: >250°C (>482°F)
Vapor pressure	: < 0.01 MMHG at 20°C (68°F)
Relative density	: 0.77 at 25 °C (77 °F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Viscosity, kinematic	: 2 - 3 cSt at 40°C (104°F)
Relative vapor density	: 7.7 (Air = 1.0)

**SECTION 10: Stability and reactivity**

<b>Reactivity</b>	: No decomposition if stored and applied as directed.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Further information: No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	: No data available.
<b>Materials to avoid</b>	: No data available.
<b>Other data</b>	: No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

<b>C14-16-18 Blend</b>	
<b>Acute oral toxicity</b>	: LD50 Oral: > 5,000 mg/kg Species: Rat Method: Acute toxicity estimate
<b>Acute inhalation toxicity</b>	
1-Tetradecene	: Not classified due to data which are conclusive although insufficient for classification. Information given is based on data obtained from similar substances.

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

1-Hexadecene	LC50: > 8.5 mg/Exposure time: 1 h Species: Rat Sex: male Test atmosphere: dust/mist
1-Octadecene	Not classified due to data which are conclusive although insufficient for classification. Information given is based on data obtained from similar substances.
<b>C14-16-18 Blend Acute dermal toxicity</b>	: LD50 Dermal: > 2,000 mg/kg Species: Rabbit Method: Acute toxicity estimate
<b>C14-16-18 Blend Skin irritation</b>	: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.
<b>C14-16-18 Blend Eye irritation</b>	: No eye irritation. Information refers to the main ingredient.
<b>C14-16-18 Blend Sensitization</b>	: Contains no substance or substances classified as sensitizing.
<b>Repeated dose toxicity</b>	
1-Hexadecene	: Species: Rat, Male and female Sex: Male and female Application Route: oral gavage Dose: 100, 500, or 1000 mg/kg/day Exposure time: 42- 51 days Number of exposures: Daily NOEL: 1000 mg/kg bw/day Method: OECD Guideline 422 Information given is based on data obtained from similar substances.

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

Species: Rat, male  
 Sex: male  
 Application Route: oral gavage  
 Dose: 10, 101, 1010, 3365 mg/kg/day  
 Exposure time: 4 weeks  
 Number of exposures: 7 days/week  
 NOEL: 101 mg/kg bw/day  
 Method: OECD Test Guideline 407  
 Target Organs: Stomach  
 Information given is based on data obtained from similar substances.

Species: Rat, female  
 Sex: female  
 Application Route: oral gavage  
 Dose: 10, 101, 1010, 3365 mg/kg/day  
 Exposure time: 4 weeks  
 Number of exposures: 7 days/week  
 NOEL: 1010 mg/kg bw/day  
 Method: OECD Test Guideline 407  
 Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: oral gavage  
 Dose: 100, 500, 1000 mg/kg/day  
 Exposure time: 13 weeks  
 Number of exposures: 7 days/week  
 NOEL: 1000 mg/kg bw/day  
 Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: Inhalation  
 Dose: 300, 1000, 3000 ppm  
 Exposure time: 13 weeks  
 Number of exposures: 6 hrs/day, 5 days/week  
 NOEL: 3000 ppm  
 Information given is based on data obtained from similar substances.

1-Octadecene

Species: rat (female)  
 Application Route: oral gavage  
 Dose: 0, 100, 500, 1000 mg/kg/d  
 NOEL: 1,000 mg/kg  
 Method: OECD Guideline 422  
 Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

1-Tetradecene

: Test Type: Ames test  
 Metabolic activation: with and without metabolic activation  
 Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
 Result: negative

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

	<p>Test Type: Mammalian cell gene mutation assay            Metabolic activation: with and without metabolic activation            Method: OECD Guideline 476            Result: negative</p> <p>Test Type: Chromosome aberration test in vitro            Method: OECD Guideline 473            Result: negative</p>
1-Hexadecene	<p>Test Type: Ames test            Metabolic activation: with and without metabolic activation            Result: negative</p> <p>Test Type: Ames test            Metabolic activation: with and without metabolic activation            Result: negative</p> <p>Test Type: Mammalian cell gene mutation assay            Metabolic activation: with and without metabolic activation            Result: negative</p> <p>Test Type: Mammalian cell gene mutation assay            Metabolic activation: with and without metabolic activation            Method: OECD Guideline 476            Result: negative</p> <p>Test Type: Chromosome aberration test in vitro            Result: negative</p> <p>Test Type: Chromosome aberration test in vitro            Result: negative</p>
1-Octadecene	<p>Test Type: Ames test            Metabolic activation: with and without metabolic activation            Method: OECD Test Guideline 471            Result: negative</p> <p>Test Type: Chromosome aberration test in vitro            Test system: rodent hepatocytes            Method: OECD Test Guideline 473            Result: negative</p>
<b>Genotoxicity in vivo</b>	
1-Tetradecene	: Test Type: Micronucleus test Species: Mouse Method: Mutagenicity (micronucleus test) Result: negative
1-Hexadecene	Test Type: Micronucleus test Species: Mouse Dose: 1,000, 10,000, 25,000 ppm Result: negative
<b>Reproductive toxicity</b>	
1-Tetradecene	: Species: Rat Sex: male Application Route: Oral diet

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

	<p>Dose: 0, 100, 500, 1000 mg/kg          Exposure time: 43-47 days          Method: OECD Guideline 422          NOAEL Parent: 1,000 mg/kg          NOAEL F1: 1,000 mg/kg</p> <p>Species: Rat          Sex: female          Application Route: Oral diet          Dose: 0, 100, 500, 1000 mg/kg          Exposure time: 46-47 days          Method: OECD Guideline 422          NOAEL Parent: 1,000 mg/kg          NOAEL F1: 1,000 mg/kg</p>
1-Hexadecene	<p>Species: Rat          Sex: female          Application Route: oral gavage          Dose: 100, 500, 1000 mg/kg/day          Number of exposures: Daily          Test period: 41 to 55 days          Method: OECD Guideline 421          NOAEL Parent: 1000 mg/kg bw/day          NOAEL F1: 1000 mg/kg bw/day          Information given is based on data obtained from similar substances.</p> <p>Species: Rat          Sex: male and female          Application Route: oral gavage          Dose: 100, 500, 1000 mg/kg/day          Number of exposures: Daily          Test period: 42- 51days          Method: OECD Guideline 422          NOAEL Parent: 1000 mg/kg bwday          NOAEL F1: 1000 mg/kg bw/day          Information given is based on data obtained from similar substances.</p>
1-Octadecene	<p>Species: Rat          Sex: male and female          Application Route: oral gavage          Dose: 0, 100, 500, 1000 mg/kg/d          Method: OECD Guideline 421          NOAEL Parent: 1,000 mg/kg          NOAEL F1: 1,000 mg/kg          Information given is based on data obtained from similar substances.</p>
<b>C14-16-18 Blend</b>	
<b>Aspiration toxicity</b>	: May be fatal if swallowed and enters airways.
<b>CMR effects</b>	
1-Tetradecene	: Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Reproductive toxicity: No toxicity to reproduction
1-Hexadecene	Carcinogenicity: Not classifiable as a human carcinogen.

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

1-Octadecene	<p>Mutagenicity: Did not show mutagenic effects in animal experiments.          Teratogenicity: Did not show teratogenic effects in animal experiments.          Reproductive toxicity: No toxicity to reproduction</p> <p>Carcinogenicity: Not available          Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.          Teratogenicity: Not available          Reproductive toxicity: No toxicity to reproduction</p>
--------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**C14-16-18 Blend**  
**Further information** : Solvents may degrease the skin.

**SECTION 12: Ecological information****Ecotoxicity effects  
Toxicity to fish**

1-Tetradecene	<p>: LL50: &gt; 1,000 mg/l          Exposure time: 96 h          Species: Oncorhynchus mykiss (rainbow trout)          semi-static test Test substance: yes          Method: OECD Test Guideline 203          The product has low solubility in the test medium. An aqueous dispersion was tested.</p>
---------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1-Hexadecene	<p>LL50: &gt; 1000 mg/L          Exposure time: 96 h          Species: Oncorhynchus mykiss (rainbow trout)          Method: OECD Test Guideline 203          The product has low solubility in the test medium. An aqueous dispersion was tested.</p>
--------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1-Octadecene	<p>LL50: &gt; 1,000 mg/l          Exposure time: 96 h          Species: Oncorhynchus mykiss (rainbow trout)          Method: OECD Test Guideline 203          Information given is based on data obtained from similar substances.</p>
--------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Toxicity to daphnia and other aquatic invertebrates**

1-Tetradecene	<p>: EL50: &gt; 1,000 mg/l          Exposure time: 48 h          Species: Daphnia magna (Water flea)          Test substance: yes          Method: OECD Test Guideline 202          The product has low solubility in the test medium. An aqueous dispersion was tested.</p>
---------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1-Hexadecene	<p>EL50: &lt; 1000 mg/L          Exposure time: 48 h          Species: Daphnia magna (Water flea)          static test Method: OECD Test Guideline 202</p>
--------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------



**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

1-Octadecene	: Non-classified PBT substance, Non-classified vPvB substance
Additional ecological information	: No data available
<b>Ecotoxicology Assessment</b>	
Short-term (acute) aquatic hazard	: This material is not expected to be harmful to aquatic organisms.
Long-term (chronic) aquatic hazard	: This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

<b>Other information</b>	<b>:</b>	<b>OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y</b>
--------------------------	----------	----------------------------------------------------

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : Aspiration hazard

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

**Clean Air Act**

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations****Pennsylvania Right To Know**

: No components are subject to the Pennsylvania Right to Know Act.

**California Prop. 65 Components**

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Notification status**

Europe REACH : This mixture contains only ingredients which have been registered according to Regulation (EU) No. 1907/2006 (REACH).

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : A substance(s) in this product was not registered, notified to be registered, or exempted from registration by QChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

**C14-16-18 Blend**


Version 1.6

Revision Date 2022-12-01

Philippines PICCS : On the inventory, or in compliance with the inventory  
 China IECSC : On the inventory, or in compliance with the inventory  
 Taiwan TCSI : On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 1  
 Fire Hazard: 1  
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 6855

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value

**C14-16-18 Blend**

Version 1.6

Revision Date 2022-12-01

	on Cancer		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate