



## C14-16 Blend

Version 1.12

Revision Date 2023-01-25

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Product information

Product Name : C14-16 Blend

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Tetradecene	1120-36-1 214-306-9	Qatar Chemical Company LTD (Q-Chem) 01-2119472424-39-0004
1-Hexadecene	629-73-2 211-105-8	Qatar Chemical Company LTD (Q-Chem) 01-2119474686-23-0003

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Supported :

- Manufacture
- Use as an intermediate
- Formulation
- Use in coatings – industrial
- Use in coatings – professional
- Use in Coatings - Consumer
- Use as a cleaning agent – industrial
- Use as a cleaning agent – professional
- Use as a cleaning agent – consumer
- Use in Oil and Gas field drilling and production operations - Industrial
- Use in Oil and Gas field drilling and production operations – Professional
- Lubricants - Industrial
- Lubricants - Professional
- Lubricants - Consumer
- Metal working fluids / rolling oils - Industrial
- Metal working fluids / rolling oils – Professional
- Functional Fluids - Industrial
- Functional Fluids - Professional
- Functional Fluids - Consumer
- Use in mining – industrial
- Use in polymer production – industrial

#### 1.3

##### Details of the supplier of the safety data sheet

Company : Qatar Chemical Company LTD (QChem)  
Amwal Tower, Omar Al Mukhtar St,

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Al-Dafna (Zone 61)  
PO Box 24646  
Doha, Qatar

SDS Requests: (+974) 4484-7110  
Technical Information: (+974) 4476-7145  
Responsible Party: Product Safety Group  
Email: MSDSInquiry@qchem.com.qa

Local : Muntajat B.V. (MBV OR)  
19th Floor, Tower E, WTC The Hague  
Prinses Margrietplantsoen 78-A, 2595 BR  
The Hague, the Netherlands.  
Tel: +31702055630  
Email: info.netherlands@muntajatbv.com

**1.4****Emergency telephone:****Health:**

866.442.9628 (North America)  
1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
Mexico CHEMTREC 01-800-681-9531 (24 hours)  
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
Argentina: +(54)-1159839431  
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
Belgium: 070 245 245 (24 hours/day, 7 days/week)  
Bulgaria: +359 2 9154 233  
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
Cyprus: 1401  
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212  
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Finland: 0800 147 111 09 471 977 (24 hours/day)  
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
Iceland: 543 2222 (24 hours/day, 7 days/week)  
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
67042473. (24 hours.)  
Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Lithuania: +370 (85) 2362052  
Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
Malta: +356 2395 2000  
The Netherlands: NVIC: +31 (0)88 755 8000  
Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Portugal: CIAV phone number: +351 800 250 250  
Romania: +40213183606  
Slovakia: +421 2 5477 4166

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****2.1**

**Classification of the substance or mixture**  
**REGULATION (EC) No 1272/2008**

Aspiration hazard, Category 1 H304:  
 May be fatal if swallowed and enters airways.

**2.2**

**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.

Precautionary Statements : **Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a  
 POISON CENTER/ doctor.  
 Do NOT induce vomiting.  
**P331**  
**Storage:**  
 P405 Store locked up.  
**Disposal:**  
 P501 Dispose of contents/ container to an  
 approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

- 1120-36-1 1-Tetradecene
- 629-73-2 1-Hexadecene
- 51655-65-3 2-Butyl-1-Decene
- 19780-34-8 2-Ethyl-1-Dodecene

**2.3****Other hazards**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 - 3.2****Substance or Mixture**

Molecular formula : Mixture

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
<b>1-Tetradecene</b>	<b>1120-36-1</b> <b>214-306-9</b>	Asp. Tox. 1; H304	0 - 80	
1-Hexadecene	629-73-2 211-105-8	Asp. Tox. 1; H304	0 - 55	

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1****Description of first-aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed****Notes to physician**

Symptoms : No data available.

Risks : No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No data available.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**SECTION 5: Firefighting measures**

Flash point : 110°C (230°F)

Autoignition temperature : 230°C (446°F)  
estimated**5.1****Extinguishing media**

Unsuitable extinguishing media : High volume water jet.

**5.2****Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**5.3****Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Normal measures for preventive fire protection.

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

**6.2****Environmental precautions**

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3****Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**6.4****Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8: Exposure controls/personal protection****8.1****Control parameters  
Ingredients with workplace control parameters****SE**

Beständsdelar	Grundval	Värde	Kontrollparametrar	Anmärkning
1-Hexadecene	SE AFS	NGV	350 mg/m3	
	SE AFS	KGV	500 mg/m3	V,

V Vägledande kortidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas

**LT**

Komponentai	Šaltinis	Vertė	Kontrolės parametrai	Pastaba
1-Tetradecene	LT OEL	IPRD	350 mg/m3	
	LT OEL	TPRD	500 mg/m3	
1-Hexadecene	LT OEL	IPRD	350 mg/m3	
	LT OEL	TPRD	500 mg/m3	

**EE**

Komponendid, osad	Alused	Väärtus	Kontrolliparameetrid	Märkused
1-Tetradecene	EE OEL	Piirnorm	350 mg/m3	11,
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m3	11,
	EE OEL	Piirnorm	5 mg/m3	
	EE OEL	Piirnorm	5 mg/m3	Aerosool
	EE OEL	Piirnorm	350 mg/m3	Aur
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m3	Aur
1-Hexadecene	EE OEL	Piirnorm	350 mg/m3	11,
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m3	11,
	EE OEL	Piirnorm	5 mg/m3	
	EE OEL	Piirnorm	5 mg/m3	Aerosool
	EE OEL	Piirnorm	350 mg/m3	Aur
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m3	Aur

11 Süsivesinike piirnormid on arvatatud auru faasile. Üle 12 süsinikuaatomiga alifaatsetel süsivesinikel (tridekaanid ja kõrgemad) on 20 °C juures küllastussisaldus < 350 mg/m3. Aerosoolsete süsivesinike piirnorm on 5 mg/m3.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**8.2****Exposure controls****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors, Dusts and Mists. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

- Physical state : liquid  
Color : Clear, colorless

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Safety data**

Flash point	: 110°C (230°F)
Lower explosion limit	: 0,5 %(V)
Upper explosion limit	: 5,6 %(V)
Oxidizing properties	: no
Autoignition temperature	: 230°C (446°F) estimated
Thermal decomposition	: No data available
Molecular formula	: Mixture
Molecular weight	: Varies
pH	: Not applicable
Pour point	: No data available
Freezing point	-12-4°C (10-39°F)
Boiling point/boiling range	: 250-280°C (482-536°F)
Vapor pressure	: 1,00 MMHG at 23,8°C (74,8°F)
Relative density	: 0,77 at 25 °C (77 °F)
Density	: 0,77 G/ML
Water solubility	: Insoluble
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 1,3 - 1,9 cSt at 40°C (104°F)
Relative vapor density	: 7,2 (Air = 1.0)
Evaporation rate	: No data available

**SECTION 10: Stability and reactivity****10.1****Reactivity** : Stable at normal ambient temperature and pressure.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**10.2**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3****Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

**10.4**

**Conditions to avoid** : No data available.

**10.5**

**Materials to avoid** : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**Thermal decomposition** : No data available

**10.6**

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1****Information on toxicological effects****C14-16 Blend**

**Acute oral toxicity** : LD50 Oral: > 5.000 mg/kg  
Species: Rat  
Information given is based on data obtained from similar substances.

**C14-16 Blend**

**Acute inhalation toxicity** : LC50: > 5 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: dust/mist  
Information given is based on data obtained from similar substances.

**C14-16 Blend**

**Acute dermal toxicity** : LD50 Dermal: > 2.000 mg/kg  
Species: Rabbit  
Information given is based on data obtained from similar substances.

**C14-16 Blend**

**Skin irritation** : Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. Information refers to the main ingredient.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**C14-16 Blend  
Eye irritation**

: No eye irritation  
Information refers to the main ingredient.

**C14-16 Blend  
Sensitization**

: Did not cause sensitization on laboratory animals. Information refers to the main ingredient.

**Repeated dose toxicity****1-Hexadecene**

: Species: Rat, Male and female  
Sex: Male and female  
Application Route: oral gavage  
Dose: 100, 500, or 1000 mg/kg/day  
Exposure time: 42- 51 days  
Number of exposures: Daily  
NOEL: 1000 mg/kg bw/day  
Method: OECD Guideline 422  
Information given is based on data obtained from similar substances.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Species: Rat, male  
Sex: male  
Application Route: oral gavage  
Dose: 10, 101, 1010, 3365 mg/kg/day  
Exposure time: 4 weeks  
Number of exposures: 7 days/week  
NOEL: 101 mg/kg bw/day  
Method: OECD Test Guideline 407  
Target Organs: Stomach  
Information given is based on data obtained from similar substances.

Species: Rat, female  
Sex: female  
Application Route: oral gavage  
Dose: 10, 101, 1010, 3365 mg/kg/day  
Exposure time: 4 weeks  
Number of exposures: 7 days/week  
NOEL: 1010 mg/kg bw/day  
Method: OECD Test Guideline 407  
Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
Sex: Male and female  
Application Route: oral gavage  
Dose: 100, 500, 1000 mg/kg/day  
Exposure time: 13 weeks  
Number of exposures: 7 days/week  
NOEL: 1000 mg/kg bw/day  
Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation  
Dose: 300, 1000, 3000 ppm  
Exposure time: 13 weeks  
Number of exposures: 6 hrs/day, 5 days/week  
NOEL: 3000 ppm  
Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

1-Tetradecene

: Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

	<p>Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic activation Method: OECD Guideline 476 Result: negative</p>
	<p>Test Type: Chromosome aberration test in vitro Method: OECD Guideline 473 Result: negative</p>
1-Hexadecene	<p>Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative</p>
	<p>Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative</p>
	<p>Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic activation Result: negative</p>
	<p>Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic activation Method: OECD Guideline 476 Result: negative</p>
	<p>Test Type: Chromosome aberration test in vitro Result: negative</p>
	<p>Test Type: Chromosome aberration test in vitro Result: negative</p>

**Genotoxicity in vivo**

1-Tetradecene	: Test Type: Micronucleus test Species: Mouse Method: Mutagenicity (micronucleus test) Result: negative
1-Hexadecene	Test Type: Micronucleus test Species: Mouse Dose: 1,000, 10,000, 25,000 ppm Result: negative

**Reproductive toxicity**

1-Tetradecene	: Species: Rat Sex: male Application Route: Oral diet Dose: 0, 100, 500, 1000 mg/kg Exposure time: 43-47 days Method: OECD Guideline 422 NOAEL Parent: 1.000 mg/kg NOAEL F1: 1.000 mg/kg
---------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Species: Rat  
 Sex: female  
 Application Route: Oral diet  
 Dose: 0, 100, 500, 1000 mg/kg  
 Exposure time: 46-47 days  
 Method: OECD Guideline 422  
 NOAEL Parent: 1.000 mg/kg  
 NOAEL F1: 1.000 mg/kg

**1-Hexadecene**

Species: Rat  
 Sex: female  
 Application Route: oral gavage  
 Dose: 100, 500, 1000 mg/kg/day  
 Number of exposures: Daily  
 Test period: 41 to 55 days  
 Method: OECD Guideline 421  
 NOAEL Parent: 1000 mg/kg bw/day  
 NOAEL F1: 1000 mg/kg bw/day  
 Information given is based on data obtained from similar substances.

Species: Rat  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 100, 500, 1000 mg/kg/day  
 Number of exposures: Daily  
 Test period: 42- 51days  
 Method: OECD Guideline 422  
 NOAEL Parent: 1000 mg/kg bw/day  
 NOAEL F1: 1000 mg/kg bw/day  
 Information given is based on data obtained from similar substances.

**C14-16 Blend****Aspiration toxicity**

: May be fatal if swallowed and enters airways.

**CMR effects****1-Tetradecene**: Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Reproductive toxicity: No toxicity to reproduction**1-Hexadecene**Carcinogenicity: Not classifiable as a human carcinogen.  
 Mutagenicity: Did not show mutagenic effects in animal experiments.  
 Teratogenicity: Did not show teratogenic effects in animal experiments.  
 Reproductive toxicity: No toxicity to reproduction**11.2****Information on other hazards****C14-16 Blend****Further information**

: Solvents may degrease the skin.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Ecotoxicity effects****Toxicity to fish**

1-Tetradecene : LL50: > 1.000 mg/l  
Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)  
semi-static test Test substance: yes  
Method: OECD Test Guideline 203  
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene LL50: > 1000 mg/L  
Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 203  
The product has low solubility in the test medium. An aqueous dispersion was tested.

**Toxicity to daphnia and other aquatic invertebrates**

1-Tetradecene : EL50: > 1.000 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
Test substance: yes  
Method: OECD Test Guideline 202  
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene EL50: < 1000 mg/L  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
static test Method: OECD Test Guideline 202  
The product has low solubility in the test medium. An aqueous dispersion was tested.

**Toxicity to algae**

1-Tetradecene : EL50: > 1.000 mg/l  
Exposure time: 96 h  
Species: Selenastrum capricornutum (algae)  
static test Test substance: yes  
Method: OECD Test Guideline 201  
The product has low solubility in the test medium. An aqueous dispersion was tested.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

1-Hexadecene

EC50: > 1000 mg/L  
 Exposure time: 72 h  
 Species: Selenastrum capricornutum (algae)  
 static test Method: OECD Test Guideline 201  
 The product has low solubility in the test medium. An aqueous dispersion was tested.

**12.2****Persistence and degradability**

Biodegradability : This material is expected to be readily biodegradable.

**12.3****Bioaccumulative potential**

Elimination information (persistence and degradability)

Bioaccumulation

1-Hexadecene : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

**12.4****Mobility in soil**

Mobility : No data available

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : No data available

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

A quantitative risk assessment is not required for the environment.  
A quantitative risk assessment is not required for human health.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

<b>Other information</b>	<b>:</b>	<b>OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y</b>
--------------------------	----------	----------------------------------------------------

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**National legislation**

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Water hazard class (Germany)** : WGK 1 slightly water endangering

**15.2****Chemical Safety Assessment**

**Components** : tetradec-1-ene A Chemical Safety Assessment 214-306-9 has been carried out for this substance.

**Chemical Safety Assessment**

hexadec-1-ene A Chemical Safety Assessment 211-105-8 has been carried out for this substance.

**Major Accident Hazard Legislation** : ZEU\_SEVES3 Update: Not applicable

**Notification status**

Europe REACH : This mixture contains only ingredients which have been registered according to Regulation (EU) No. 1907/2006 (REACH).

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AIIC : On the inventory, or in compliance with the inventory

**C14-16 Blend**


Version 1.12

Revision Date 2023-01-25

New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by QChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 1  
Fire Hazard: 1  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 6748

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AiIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

**Full text of H-Statements referred to under sections 2 and 3.**

H304

May be fatal if swallowed and enters airways.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Annex****1. Short title of Exposure Scenario: Manufacture**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3, SU8, SU9:</b> Industrial Manufacturing (all), Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC15:</b> Use as laboratory reagent
Environmental release category	:	<b>ERC1, ERC5:</b> Manufacture of substances, Industrial use resulting in inclusion into or onto a matrix
Further information	:	Manufacture of the substance or use as a process chemical or extraction agent. Includes recycling/ recovery, material transfers, storage, maintenance and loading (including marine vessel/barge, road/rail car and bulk container), sampling and associated laboratory activities

**2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC4: Manufacture of substances, Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**containers at dedicated facilities, Use as laboratory reagent****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use as an intermediate**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3, SU8, SU9:</b> Industrial Manufacturing (all), Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC15:</b> Use as laboratory reagent
Environmental release category	:	<b>ERC6a:</b> Industrial use resulting in manufacture of another substance (use of intermediates)
Further information	:	Use of substance as an intermediate (not related to Strictly Controlled Conditions). Includes recycling/ recovery, material transfers, storage, sampling, associated laboratory activities, maintenance and loading (including marine vessel/barge, road/rail car and bulk container).

**2.1 Contributing scenario controlling environmental exposure for:ERC6a: Industrial use resulting in manufacture of another substance (use of intermediates)**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Formulation**

Main User Groups	: <b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	: <b>SU3, SU 10:</b> Industrial Manufacturing (all), Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing)  
**PROC14:** Production of preparations or articles by tableting, compression, extrusion, pelletization  
**PROC15:** Use as laboratory reagent

Environmental release category : **ERC2:** Formulation of preparations

Further information :  
 Formulation, packing and re-packing of the substance and its mixtures in batch or continuous operations, including storage, materials transfers, mixing, tableting, compression, pelletisation, extrusion, large and small scale packing, sampling, maintenance and associated laboratory activities.

**2.1 Contributing scenario controlling environmental exposure for:ERC2: Formulation of preparations****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4,, PROC8a, PROC8b,, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Production of preparations or articles by tableting, compression, extrusion, pelletization, Use as laboratory reagent**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Not applicable

**1. Short title of Exposure Scenario: Use in coatings – industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<p><b>PROC1:</b> Use in closed process, no likelihood of exposure</p> <p><b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure</p> <p><b>PROC3:</b> Use in closed batch process (synthesis or formulation)</p> <p><b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p><b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)</p> <p><b>PROC7:</b> Industrial spraying</p> <p><b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p><b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities</p> <p><b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p><b>PROC10:</b> Roller application or brushing</p> <p><b>PROC13:</b> Treatment of articles by dipping and pouring</p> <p><b>PROC14:</b> Production of preparations or articles by tableting, compression, extrusion, pelletization</p> <p><b>PROC15:</b> Use as laboratory reagent</p>
Environmental release category	:	<b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3,**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**PROC4,, PROC7, PROC8a, PROC8b,, PROC10, PROC13, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Production of preparations or articles by tableting, compression, extrusion, pelletization, Use as laboratory reagent**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in coatings – professional**

Main User Groups	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC10:</b> Roller application or brushing <b>PROC11:</b> Non industrial spraying <b>PROC13:</b> Treatment of articles by dipping and pouring <b>PROC15:</b> Use as laboratory reagent

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**PROC19:** Hand-mixing with intimate contact and only PPE available

Environmental release category : **ERC8a, ERC8d:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Further information :  
Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.

### 2.1 Contributing scenario controlling environmental exposure for: **ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems**

#### Technical conditions and measures / Organizational measures

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4,, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC15, PROC19: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Use as laboratory reagent, Hand-mixing with intimate contact and only PPE available**

#### Amount used

Remarks : Not applicable

### 3. Exposure estimation and reference to its source

Remarks: Not applicable

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in Coatings - Consumer**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC1:</b> Adhesives, sealants <b>PC4:</b> Anti-Freeze and de-icing products <b>PC8:</b> Biocidal products (e.g. Disinfectants, pest control) <b>PC9a:</b> Coatings and paints, thinners, paint removers <b>PC9b:</b> Fillers, putties, plasters, modelling clay <b>PC9c:</b> Finger paints <b>PC15:</b> Non-metal-surface treatment products <b>PC18:</b> Ink and toners <b>PC23:</b> Leather tanning, dye, finishing, impregnation and care products <b>PC24:</b> Lubricants, greases, release products <b>PC31:</b> Polishes and wax blends <b>PC34:</b> Textile dyes, finishing and impregnating products; including bleaches and other processing aids
Environmental release category	:	<b>ERC8a, ERC8d:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including product transfer and preparation, application by brush, spray by hand or similar methods) and equipment cleaning.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**2.2 Contributing scenario controlling consumer exposure for: PC1, PC4, PC8, PC9a, PC9b, PC9c, PC15, PC18, PC23, PC24, PC31, PC34: Adhesives, sealants, Anti-Freeze and de-icing products, Biocidal products (e.g. Disinfectants, pest control), Coatings and paints, thinners, paint removers, Fillers, putties, plasters, modelling clay, Finger paints, Non-metal-surface treatment products, Ink and toners, Leather tanning, dye, finishing, impregnation and care products, Lubricants, greases, release products, Polishes and wax blends, Textile dyes, finishing and impregnating products; including bleaches and other processing aids**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use as a cleaning agent – industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC7:</b> Industrial spraying <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC10:</b> Roller application or brushing <b>PROC13:</b> Treatment of articles by dipping and pouring
Environmental release category	:	<b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Covers the use as a component of cleaning products including transfer from storage, pouring/unloading from drums or

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

containers. Exposures during mixing/diluting in the preparatory phase and cleaning activities (including spraying, brushing, dipping, wiping, automated and by hand), related equipment cleaning and maintenance.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC10, PROC13: Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Treatment of articles by dipping and pouring****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use as a cleaning agent – professional**

Main User Groups : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sector of use : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process category : **PROC2:** Use in closed, continuous process with occasional controlled exposure  
**PROC3:** Use in closed batch process (synthesis or formulation)  
**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**PROC8a:** Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities  
**PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities  
**PROC10:** Roller application or brushing  
**PROC11:** Non industrial spraying  
**PROC13:** Treatment of articles by dipping and pouring

Environmental release category : **ERC8a, ERC8d:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Further information : Covers the use as a component of cleaning products including pouring/unloading from drums or containers; and exposures during mixing/diluting in the preparatory phase and cleaning activities (including spraying, brushing, dipping, wiping automated and by hand).

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC10, PROC11, PROC13: Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use as a cleaning agent – consumer**

Main User Groups	: <b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	: <b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	: <b>PC3:</b> Air care products <b>PC4:</b> Anti-Freeze and de-icing products <b>PC8:</b> Biocidal products (e.g. Disinfectants, pest control) <b>PC9a:</b> Coatings and paints, thinners, paint removers <b>PC9b:</b> Fillers, putties, plasters, modelling clay <b>PC9c:</b> Finger paints <b>PC24:</b> Lubricants, greases, release products <b>PC35:</b> Washing and cleaning products (including solvent based products) <b>PC38:</b> Welding and soldering products (with flux coatings or flux cores.), flux products
Environmental release category	: <b>ERC8a, ERC8d:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	: Covers general exposures to consumers arising from the use of household products sold as washing and cleaning products, aerosols, coatings, de-icers, lubricants and air care products.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC3, PC4, PC8, PC9a, PC9b, PC9c, PC24, PC35, PC38: Air care products, Anti-Freeze and de-icing products, Biocidal products (e.g. Disinfectants, pest control), Coatings and paints, thinners, paint removers, Fillers, putties, plasters, modelling clay, Finger paints, Lubricants, greases, release products, Washing and cleaning products (including solvent based products), Welding and soldering products (with flux coatings or flux cores.), flux products**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in Oil and Gas field drilling and production operations - Industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities
Environmental release category	:	<b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Oil field well drilling and production operations (including drilling muds and well cleaning) including material transfers, on-site formulation, well head operations, shaker room activities and related maintenance.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in Oil and Gas field drilling and production operations – Professional**

Main User Groups : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sector of use : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure  
**PROC2:** Use in closed, continuous process with occasional controlled exposure  
**PROC3:** Use in closed batch process (synthesis or formulation)  
**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises  
**PROC8a:** Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities  
**PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities

Environmental release category : **ERC8d:** Wide dispersive outdoor use of processing aids in

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Further information : open systems  
Oil field well drilling and production operations (including drilling muds and well cleaning) including material transfers, on-site formulation, well head operations, shaker room activities and related maintenance.

**2.1 Contributing scenario controlling environmental exposure for:ERC8d: Wide dispersive outdoor use of processing aids in open systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Industrial**

Main User Groups : **SU 3:** Industrial uses: Uses of substances as such or in preparations at industrial sites  
Sector of use : **SU3:** Industrial Manufacturing (all)  
Process category : **PROC1:** Use in closed process, no likelihood of exposure  
**PROC2:** Use in closed, continuous process with occasional

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

controlled exposure

**PROC3:** Use in closed batch process (synthesis or formulation)**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises**PROC7:** Industrial spraying**PROC8a:** Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities**PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities**PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing)**PROC10:** Roller application or brushing**PROC13:** Treatment of articles by dipping and pouring**PROC17:** Lubrication at high energy conditions and in partly open process**PROC18:** Greasing at high energy conditions

Environmental release category : **ERC4, ERC7:** Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems

Further information :  
Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

**2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC7: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b,, PROC10, PROC13, PROC17, PROC18: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Professional**

Main User Groups	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	:	<p><b>PROC1:</b> Use in closed process, no likelihood of exposure</p> <p><b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure</p> <p><b>PROC3:</b> Use in closed batch process (synthesis or formulation)</p> <p><b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p><b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p><b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities</p> <p><b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p><b>PROC10:</b> Roller application or brushing</p> <p><b>PROC13:</b> Treatment of articles by dipping and pouring</p> <p><b>PROC17:</b> Lubrication at high energy conditions and in partly open process</p> <p><b>PROC18:</b> Greasing at high energy conditions</p> <p><b>PROC20:</b> Heat and pressure transfer fluids in dispersive, professional use but closed systems</p>
Environmental release category	:	<b>ERC8a, ERC8d, ERC9a, ERC9b:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	:	Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**2.1 Contributing scenario controlling environmental exposure for: ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b,, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions, Heat and pressure transfer fluids in dispersive, professional use but closed systems**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Consumer**

Main User Groups : **SU 21:** Consumer uses: Private households (= general public = consumers)  
 Sector of use : **SU 21:** Consumer uses: Private households (= general public = consumers)  
 Product category : **PC1:** Adhesives, sealants  
**PC24:** Lubricants, greases, release products

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**PC31: Polishes and wax blends**

Environmental release category : **ERC8a, ERC8d, ERC9a, ERC9b:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Further information : Covers the consumer use of formulated lubricants in closed and open systems including transfer operations, application, operation of engines and similar articles, equipment maintenance and disposal of waste oil.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC1, PC24, PC31: Adhesives, sealants, Lubricants, greases, release products, Polishes and wax blends**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Industrial**

Main User Groups	: <b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	: <b>SU3:</b> Industrial Manufacturing (all)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC7:</b> Industrial spraying <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC10:</b> Roller application or brushing <b>PROC13:</b> Treatment of articles by dipping and pouring <b>PROC17:</b> Lubrication at high energy conditions and in partly open process
Environmental release category	: <b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	: Covers the use in formulated MWFs/rolling oils including transfer operations, rolling and annealing activities, cutting/machining activities, automated and manual application of corrosion protections (including brushing, dipping and spraying), equipment maintenance, draining and disposal of waste oils.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b,, PROC10, PROC13, PROC17: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact), Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Metal working fluids / rolling oils – Professional**

Main User Groups	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	:	<p><b>PROC1:</b> Use in closed process, no likelihood of exposure</p> <p><b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure</p> <p><b>PROC3:</b> Use in closed batch process (synthesis or formulation)</p> <p><b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p><b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities</p> <p><b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p><b>PROC10:</b> Roller application or brushing</p> <p><b>PROC11:</b> Non industrial spraying</p> <p><b>PROC13:</b> Treatment of articles by dipping and pouring</p> <p><b>PROC17:</b> Lubrication at high energy conditions and in partly open process</p>
Environmental release category	:	<b>ERC8a, ERC8d, ERC9a, ERC9b:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Further information

:

Covers the use in formulated MWFs including transfer operations, open and contained cutting/machining activities, automated and manual application of corrosion protections, draining and working on contaminated/ reject articles, and disposal of waste oils.

**2.1 Contributing scenario controlling environmental exposure for: ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks

: Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a, PROC8b,, PROC10, PROC11, PROC13, PROC17: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process**

**Amount used**

Remarks

: Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

1. Short title of Exposure Scenario: **Functional Fluids - Industrial**

Main User Groups

: **SU 3:** Industrial uses: Uses of substances as such or in

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Sector of use	: preparations at industrial sites
Process category	: <b>SU3:</b> Industrial Manufacturing (all) <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Environmental release category	: <b>ERC7:</b> Industrial use of substances in closed systems
Further information	: Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in industrial equipment including maintenance and related material transfers.

**2.1 Contributing scenario controlling environmental exposure for:ERC7: Industrial use of substances in closed systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b,:** Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Functional Fluids - Professional**

Main User Groups	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC20:</b> Heat and pressure transfer fluids in dispersive, professional use but closed systems
Environmental release category	:	<b>ERC9a, ERC9b:</b> Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	:	Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in professional equipment including maintenance and related material transfers.

**2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a,, PROC20: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**preparation into small containers (dedicated filling line, including weighing), Heat and pressure transfer fluids in dispersive, professional use but closed systems**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Functional Fluids - Consumer**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC16:</b> Heat transfer fluids <b>PC17:</b> Hydraulic fluids
Environmental release category	:	<b>ERC9a, ERC9b:</b> Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	:	Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants.

**2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC16, PC17: Heat transfer fluids, Hydraulic fluids**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in mining – industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Environmental release category	:	<b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Covers the use of the substance in extraction processes at mining operations, including material transfers, winning and separation activities, and substance recovery and disposal.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles**

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4,, PROC8a, PROC8b,: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in polymer production – industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3, SU 10:</b> Industrial Manufacturing (all), Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC6:</b> Calendering operations <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

non-dedicated facilities  
**PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities  
**PROC14:** Production of preparations or articles by tableting, compression, extrusion, pelletization  
**PROC15:** Use as laboratory reagent

Environmental release category : **ERC4, ERC6c:** Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics

Further information :  
 Manufacture of polymers from monomers in continuous and batch processes, include sparging, discharging, and reactor maintenance and immediate polymer product formation (i.e. compounding, pelletisation, product off-gassing).

**2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC6c: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4,, PROC6, PROC8a, PROC8b, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Calendering operations, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Production of preparations or articles by tableting, compression, extrusion, pelletization, Use as laboratory reagent**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**C14-16 Blend**

Version 1.12

Revision Date 2023-01-25

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable